JOURNAL OF SEDIMENTARY RESEARCH

INDEX

VOLUME A64
JANUARY 1994–OCTOBER 1994

EDITOR
JOHN B. SOUTHARD

EDITORIAL ASSISTANT
LISA K. MCFARREN

PUBLISHED BY
SEPM
(Society for Sedimentary Geology)
P.O. Box 4756
Tulsa, Oklahoma 74159-0756

AUTHOR INDEX TO VOLUME A64

ALEXANDER, J. Observations on experimental, nonchannelized high-concentration turbidity currents and variations in deposits around obstacles ..... (4) 899
ALGEO, T.J. High resolution X-radiography of laminated sediment cores ..... (3) 665
ALLISON, M.A. Clay-mineral suites in cyclic Miocene sediments: a model for continental-margin deposition in a mixed siliciclastic-phosphatic-dolomitic-biogenic system ..... (2) 386
AMOS, C.L. A rapid technique for the determination of dry sediment mass from saturated marine sands ..... (3) 668
ANDERSON, A.L. see ORSI, T.H. ..... (3) 690
ASHLEY, G.M. see WARREN, W.P. ..... (3) 433
ASHWORTH, P. see BEST, J. ..... (3) 674
ASPLER, L.B. Ripple marks in quartz arenites of the Hurwitz Group, Northwest Territories, Canada: evidence for sedimentation in a vast, early Proterozoic, shallow, fresh-water lake ..... (2) 282
AWWILLER, D.N. Accurate determination of reduced sulfur and major elements by fused glass X-ray fluorescence analysis ..... (3) 670

BAIN, R.J. Irregular fenestrae in Bahamian eolianites: a rainstorm-induced origin ..... (1) 140
BANGS ROONEY, C. Provenance analysis of muddy sandstones ..... (1) 2
BASU, A. see BANGS ROONEY, C. ..... (1) 2
BATES, N.R. Early Devonian marine isotopic signatures: brachiopods from the Upper Gaspé limestones, Gaspé Peninsula, Québec—Discussion ... (2) 405
BATURIN, G.N. see SCHIMMELMANN, A. ..... (4) 771
BEAMAN, R. New evidence for the Holocene sea-level high from the inner shelf, central Great Barrier Reef shelf, Australia ..... (4) 881
BELBIN, S.P. A new standard method of impregnation using cystic resin ..... (3) 673
BENN, D.I. Fabric shape and the interpretation of sedimentary fabric ... (4) 910
BEST, J. A high-resolution ultrasonic bed profiler for use in laboratory flumes ..... (3) 674
BISHOP, P.K. see SMALLEY, P.C. ..... (2) 180
BLAIR, T.C. Alluvial fans and their natural distinction from rivers based on morphology, hydraulic processes, sedimentary processes, and facies assemblages ..... (3) 450
BOGOCH, R. Sedimentology and geochemistry of lowstand peritidal lithofacies at the Cenomanian–Turonian boundary in the Cretaceous carbonate platform of Israel ..... (4) 733
BORKOWSKI, M.L. see SIBLEY, D.F. ..... (3) 630
BOTTRELL, S.H. see PARNELL, J. ..... (1) 95
BRETT, C.E. see O'BRIEN, N.R. ..... (4) 847
BROOK, G.A. see RAILSBACK, L.B. ..... (1) 147
BROWNE, G.H. Pot and gutter casts from the Chapel Island Formation, southeast Newfoundland—Discussion ..... (3) 706
BUCHBINDER, B. see BOGOCH, R. ..... (4) 733
BUDD, D.A. The hydrogeochemistry of early meteoric diagenesis in a Holocene deposit of biogenic carbonates—Discussion ..... (2) 412
BURSEY, T.L. see ASPLER, L.B. ..... (2) 282
BURTON, E.A. see MACHEL, H.G. ..... (4) 741

CANDER, H. An example of mixing-zone dolomite, Middle Eocene Avon Park Formation, Floridan aquifer system ..... (3) 615
CAREY, P.F. see PARNELL, J. ..... (1) 95
CARTER, R.M. see BEAMAN, R. ..... (4) 881
CHANDA, S.K. see CHAUDHURI, A.K. ..... (4) 765
CHANG, J.H. see LEE, H.J. ..... (4) 886
CHAUDHURI, A.K. Proterozoic glauconitic peloids from South India: their origin and significance ..... (4) 765
CHEN, J. see RAILSBACK, L.B. ..... (1) 147
CHIARENZELLI, J.R. see ASPLER, L.B. ..... (2) 282
CHUN, S.S. see LEE, H.J. ..... (4) 886
COCIRTA, C. see MACAIRE, J.J. ..... (3) 490
COLE, D.R. see RICIPUTI, L.R. ..... (1) 115
COMPTON, J.S. Origin of dolomite in the phosphatic Miocene Hawthorn Group of Florida ..... (3) 638
CONIGLIO, M. see REHMAN, J. ..... (2) 174
COUSINEAU, P.A. Subaqueous pyroclastic flows in an Ordovician fore-arc basin: an example from the Saint-Victor Formation, Quebec Appalachians, Canada ..... (4) 867
CRITELLI, S. Detrital modes and provenance of Miocene sandstones and modern sands of the southern Apennines thrust-top basins (Italy) ..... (4) 824
CRITELLI, S. Sandstone petrology and provenance of the Siwalik Group (northwestern Pakistan and western-southeastern Nepal) ..... (4) 815

DADE, W.B Fine-sediment deposition from gravity surges on uniform slopes ..... (3) 423
DASGUPTA, S. see CHAUDHURI, A.K. ..... (4) 765
DE ROS, L.F. Multiple authigenesis of K-feldspar in sandstones: evidence from the Cretaceous Areado Formation, São Francisco Basin, central Brazil ... . (4) 778
DICKINSON, W.W. Low depositional porosity in eolian sands and sandstones, Namib Desert ..... (2) 226
DICKSON, J.A.D. see PEDONE, V.A. ... (2) 160, SMALLEY, P.C. ... (2) 180
DITCHFIELD, P.W. see PIRRIE, D. ..... (3) 541
DOUMA, Y.L. Mounting samples in methyl methacrylate polymer for SEM and EMP studies ..... (3) 675
DRIESE, S.G. see WALKER, D. ..... (4) 807
DÜRR, S.B. Quick estimation of pebble volumes ..... (3) 677
DUTTON, A.R. see GUSTAVSON, T.C. ..... (1) 88
DWORKIN, S.I. Petrographic and geochemical constraints on the formation and diagenesis of anhydrite cements, Smackover sandstones, Gulf of Mexico ..... (2) 339

EDDY-DILEK, C.A. see KIDDER, D.L. ..... (3) 584
EDWARDS, C.M. see ORSI, T.H. ..... (3) 690
EMERY, D. see SMALLEY, P.C. ..... (2) 180
ERIKSSON, P.G. Petrography and geochemistry of sandstones interbedded with the Rooiberg Felsite Group (Transvaal Sequence, South Africa): implications for provenance and tectonic setting ..... (4) 836
ESPEJO, I.S. Source versus depositional controls on sandstone composition in a foreland basin: the El Imperial Formation (mid Carboniferous–Lower Permian), San Rafael Basin, western Argentina ..... (1) 8
EVANS, J. Quantification of quartz cements using combined SEM, CL, and image analysis ..... (2) 334

FENWICK, M. see ALGEO, T.J. ..... (3) 665
FIRTH, J.V. see HISCOTT, R.N. ..... (4) 933
FLEISHER, C.J. see RAILSBACK, L.B. ..... (1) 147
FLEMINGS, P.B. see ROTHMAN, D.H. ..... (1) 59, (4) 934
FOLK, R.L. see MCBRIDE, E.F. ..... (3) 535
FRIEDMAN, G.M. Great Bahama Bank aragonitic muds: mostly inorganically precipitated, mostly exported—Discussion ..... (1) 921
FRIEDMAN, G.M. Vaterite (an uncommon polymorph of $CaCO_3$): occurrences in boreholes demonstrate unexpected longevity—Reply ..... (2) 418
FRYAR, A.E. A method for studying diagenesis in shallow sediments using flow-through columns ..... (3) 679

GAWTHORPE, R.L. see MACQUAKER, J.H.S. ..... (4) 930
GESLIN, J.K. Carbonate pseudomatrix in siliciclastic-carbonate turbidites from the Oquirrh–Wood River Basin, southern Idaho ..... (1) 55
GIBLING, M.R. see MARTEL, A.T. ..... (3) 508

JOURNAL OF SEDIMENTARY RESEARCH, VOL. A64, NO. 4, OCTOBER, 1994, P. 940–943

Copyright © 1994, SEPM (Society for Sedimentary Geology)

1073-130X/94/0A64-940/$03.00

GLOVER, J.E. see RASMUSSEN, B. ..... (3) 572
GROTZINGER, J.P. see ROTHMAN, D.H. ..... (1) 59, (4) 934
GUSTAVSON, T.C. Origin of satin spar veins in evaporite basins ..... (1) 88
GWINN, C.J. see THYNE, G.D. ..... (4) 726

HAGAN, T.H. see REHMAN, J. ..... (2) 174
HALL, D.L. see COMPTON, J.S. ..... (3) 638
HAN, S.-J. see LEE, H.J. ..... (4) 886
HANSON, G.N. see MCDANIEL, D.K. ..... (2) 362
HARGIS, T.G. Improved coring device for measuring soil bulk density in a Louisiana deltaic marsh ..... (3) 681
HARGIS, T.G. A multi-depth probe for measuring oxidation-reduction (redox) potential in wetland soils ..... (3) 684
HAUGHTON, P.D.W. Deposits of deflected and ponded turbidity currents, Sorbas Basin, southeast Spain ..... (2) 233
HELMOLD, K.P see VAN DE KAMP, P.C. ..... (1) 17
HEMMING, S.R. see MCDANIEL, D.K. ..... (2) 362
HEYDARI, E. Paleoceanographic and paleoclimatic controls on ooid mineralogy of the Smackover Formation, Mississippi salt basin: implications for Late Jurassic seawater composition ..... (1) 101
HISCOTT, R.N. Loss of capacity, not competence, as the fundamental process governing deposition from turbidity currents ..... (2) 209
HISCOTT, R.N. Scaling in turbidite deposition—Discussion ..... (4) 933
HISCOTT, R.N. Traction-carpet stratification in turbidites—fact or fiction? ..... (2) 204
HODELL, D.A. see COMPTON, J.S. ..... (3) 638
HOFMANN, H.J. Grain-shape indices and isometric graphs ..... (4) 916
HOGG, A.J.C. see EVANS, J. ..... (2) 334
HOPKINS, M.S. see EVANS, J. ..... (2) 334
HOUSEKNECHT, D.W. see SPÖTL, C. ..... (3) 553
HOVORKA, S.D. see GUSTAVSON, T.C. ..... (1) 88
HOWARTH, R.J. see EVANS, J. ..... (2) 334
HUDDART, D. Rock-type controls on downstream changes in clast parameters in sandur systems in southeast Iceland ..... (2) 215
HUMPHREY, J.D. see KIMBELL, T.N. ..... (3) 604
HUPPERT, H.E. see DADE, W.B ..... (3) 423

INDIRA VENKATESAN, M. see SCHIMMELMANN, A. ..... (4) 771
INGALL, E.D. see SCHROEDER, P.A. ..... (3) 694
INGERSOLL, R.V. see CRITELLI, S. ..... (4) 815
INGÓLFSSON, Ó. see MÖLLER, P. ..... (4) 894

JAMINSKI, J. see ALGEO, T.J. ..... (3) 665
JOECKEL, R.M. Virgilian (Upper Pennsylvanian) paleosols in the upper Lawrence Formation (Douglas Group) and in the Snyderville Shale Member (Shawnee Group, Oread Formation) of the northern midcontinent, USA: pedologic contrasts in a cyclothem sequence ..... (4) 853
JONES, B. see REHMAN, J. ..... (2) 174

KAHLE, C.F. Facies and evolution of a Silurian microbialite-coral reef complex, Maumee, Ohio, USA ..... (4) 711
KALIN, R. see RAILSBACK, L.B. ..... (1) 147
KARRAT, L. see MACAIRE, J.J. ..... (3) 490
KAUFMAN, J. Numerical models of fluid flow in carbonate platforms: implications for dolomitization ..... (1) 128
KEIGHLEY, D.G. Flute-like marks and associated structures from the Carboniferous Port Hood Formation of eastern Canada: evidence of secondary origin in association with sediment intrusion ..... (2) 253
KIDDER, D.L. Rare-earth element variation in phosphate nodules from mid-continent Pennsylvanian cyclothems ..... (3) 584
KIMBELL, T.N. Geochemistry and crystal morphology of aragonite cements of mixing-zone origin, Barbados, West Indies ..... (3) 604
KINDLER, P. see BAIN, R.J. ..... (1) 140
KIRKLAND, B.L. see MOSHIER, S.O. ..... (4) 925
KNIGHT, J.B. see DOUMA, Y.L. ..... (3) 675
KODAMA, Y. Downstream changes in the lithology and grain size of fluvial gravels, the Watarase River, Japan: evidence of the role of abrasion in downstream fining ..... (1) 68
KODAMA, Y. Experimental study of abrasion and its role in producing downstream fining in gravel-bed rivers ..... (1) 76
KONTOPOULOS, N. see PIPER, D.J.W. ..... (2) 247
KOPASKA-MERKEL, D.C. Pore-throat morphology in the Upper Jurassic Smackover Formation of Alabama ..... (3) 524
KOPP, O.C. see SHELDON, B.T. ..... (3) 698
KVALE, C.M. see WINTSCH, R.P. ..... (2) 349
KYLE, J.R. see MISI, A. ..... (2) 299

LAND, L.S. see DWORKIN, S.I. ..... (2) 339, MILLIKEN, K.L. ..... (4) 788
LANGE, C.B. see SCHIMMELMANN, A. ..... (4) 771
LARCOMBE, P. see BEAMAN, R. ..... (4) 881
LARSEN, D. Origin and paleoenvironmental significance of calcite pseudomorphs after ikaite in the Oligocene Creede Formation, Colorado ..... (3) 593
LAVOIE, D. Early Devonian marine isotopic signatures: brachiopods from the Upper Gaspé limestones, Gaspé Peninsula, Québec—Reply ..... (2) 408
LAZARUS, D. An improved cover-slip holder for preparing microslides of randomly distributed particles ..... (3) 686
LE PERA, E. see CRITELLI, S. ..... (4) 824
LE ROUX, J.P. The angular deviation of paleocurrent directions as applied to the calculation of channel sinuosities ..... (1) 86
LEAKE, B.E. see VAN DE KAMP, P.C. ..... (1) 17
LEATHER, J. see SCHIMMELMANN, A. ..... (4) 771
LEE, H.J. Landward migration of isolated shelly sand ridge (chenier) on the macrotidal flat of Gomso Bay, west coast of Korea: controls of storms and typhoons ..... (4) 886
LISTER, J.R. see DADE, W.B. ..... (3) 423
LONGSTAFFE, F.J. see SPÖTL, C. ..... (3) 553
LÓPEZ-GAMUNDÍ, O.R. see ESPEJO, I.S. ..... (1) 8

MACAIRE, J.J. Basalt weathering and fluvial sedimentary particles: comparison of two watersheds in the Middle Atlas Mountains, Morocco ..... (3) 490
MACHEL, H.G. Golden Grove Dolomite, Barbados: origin from modified seawater ..... (4) 741
MACHEL, H.G. see RICIPUTI, L.R. ..... (1) 115
MACK, L.E. see MILLIKEN, K.L. ..... (4) 788
MACQUAKER, J.H.S. Mudstone lithofacies in the Kimmeridge Clay Formation, Wessex Basin, southern England: implications for the origin and controls of the distribution of mudstones—Reply ..... (4) 930
MAGARITZ, M. see BOGOCH, R. ..... (4) 733
MALLINSON, D.J. see COMPTON, J.S. ..... (3) 638
MARSHALL, J.D. see PIRRIE, D. ..... (3) 541
MARTEL, A.T. Combined-flow generation of sole structures, including recurved groove marks, associated with Lower Carboniferous lacustrine storm deposits in Nova Scotia, Canada ..... (3) 508
MARTINIUS, A.W. see SCHUPPERS, J.D. ..... (3) 518
MAZZULLO, J. see PYE, K. ..... (3) 500
MCBRIDE, E.F. Oriented concretions, Ionian coast, Italy: evidence of groundwater flow direction ..... (3) 535
MCCLAIN, M.E. The hydrogeochemistry of early meteoric diagenesis in a Holocene deposit of biogenic carbonates—Reply ..... (2) 415
MCDANIEL, D.K. Petrographic, geochemical, and isotopic constraints on the provenance of the early Proterozoic Chelmsford Formation, Sudbury Basin, Ontario ..... (3) 362
MCLENNAN, S.M. see MCDANIEL, D.K. ..... (3) 362
MCPHERSON, J.G. see BLAIR, T.C. ..... (3) 450
MEYERS, W.J. see PEDONE, V.A. ..... (2) 160
MICHELS, K.H. see OEHMIG, R. ..... (3) 687
MILLIKEN, K.L. Cathodoluminescent textures and the origin of quartz silt in Oligocene mudrocks, South Texas ..... (3) 567
MILLIKEN, K.L. Elemental mobility in sandstones during burial: whole-rock chemical data, Frio Formation, South Texas ..... (4) 788
MILLIMAN, J.D. Great Bahama Bank aragonitic muds: mostly inorganically precipitated, mostly exported—Reply ..... (4) 922

MINDSZENTY, A. see RETALLACK, G.J. ..... (2) 264
MISI, A. Upper Proterozoic carbonate stratigraphy, diagenesis, and stromatolitic phosphorite formation, Irecê Basin, Bahia, Brazil ..... (2) 299
MÖLLER, P. Gravel and sand flotation: a sediment dispersal process important in certain nearshore marine environments ..... (4) 894
MOORE, C.H. see HEYDARI, E. ..... (1) 101
MORAD, S. see DE ROS, L.F. ..... (4) 778
MORRIS, S. see ALEXANDER, J. ..... (4) 899
MOSHIER, S.O. Identification and diagenesis of a phylloid alga: *Archaeolithophyllum* from the Pennsylvanian Providence Limestone, western Kentucky—Reply ..... (4) 925
MUÑOZ, A. see SALVANY, J.M. ..... (2) 190
MYROW, P.M. Pot and gutter casts from the Chapel Island Formation, southeast Newfoundland—Reply ..... (3) 708

NORDENG, S.H. see SIBLEY, D.F. ..... (3) 630

O'BRIEN, N.R. Microfabric and taphonomic analysis in determining sedimentary processes in marine mudstones: example from Silurian of New York ..... (4) 847
OEHMIG, R. The isolation of settling-velocity fractions of sand-size material: new possibilities for the settling-tube technique ..... (3) 687
ORSI, T.H. X-ray computed tomography: a nondestructive method for quantitative analysis of sediment cores ..... (3) 690
OTVOS, E.G. Vaterite (an uncommon polymorph of $CaCO_3$): occurrences in boreholes demonstrate unexpected longevity—Discussion ..... (2) 417

PARNELL, J. The occurrence of authigenic minerals in solid bitumens ... (1) 95
PEDONE, V.A. Intracrystalline alteration of low-magnesium calcite cement in the Devonian Pillara Formation, Canning Basin, Western Australia ..... (2) 160
PÉREZ, A. see SALVANY, J.M. ..... (2) 190
PERRUCHOT, A. see MACAIRE, J.J. ..... (3) 490
PHILLIPS, M. see ALGEO, T.J. ..... (3) 665
PICARD, M.D. see MCBRIDE, E.F. ..... (3) 535
PICKERILL, R.K. see KEIGHLEY, D.G. ..... (2) 253
PINGITORE, N.E., Jr. Identification and diagenesis of a phylloid alga: *Archaeolithophyllum* from the Pennsylvanian Providence Limestone, western Kentucky—Discussion ..... (4) 923
PIPER, D.J.W. Bed forms in submarine channels: comparison of ancient examples from Greece with studies of recent turbidite systems ..... (2) 247
PIRRIE, D. Burial diagenesis and pore-fluid evolution in a Mesozoic back-arc basin: the Marambio Group, Vega Island, Antarctica ..... (3) 541
PRATT, K.C. see SYKES, R. ..... (3) 699
PYE, K. Effects of tropical weathering on quartz grain shape: an example from northeastern Australia ..... (3) 500
PYE, K. Shape sorting during wind transport of quartz silt grains—Discussion ... (3) 704

RAILSBACK, L.B. Environmental controls on the petrology of a late Holocene speleothem from Botswana with annual layers of aragonite and calcite ... (1) 147
RASMUSSEN, B. Diagenesis of low-mobility elements (Ti, REES, TH) and solid bitumen envelopes in Permian Kennedy Group sandstone, Western Australia ..... (3) 572
RECZKO, B.F.F. see ERIKSSON, P.G. ..... (4) 836
REHMAN, J. The influence of sponge borings on aragonite-to-calcite inversion in late Pleistocene *Strombus gigas* from Grand Cayman, British West Indies ..... (2) 174
REMY, R.R. Porosity reduction and major controls on diagenesis of Cretaceous-Paleocene volcaniclastic and arkosic sandstone, Middle Park Basin, Colorado ..... (4) 797
RETALLACK, G.J. Well preserved late Precambrian paleosols from northwest Scotland ..... (2) 264
RICIPUTI, L.R. An ion microprobe study of diagenetic carbonates in the Devonian Nisku formation of Alberta, Canada ..... (1) 115
RIGGS, S.R. see ALLISON, M.A. ..... (2) 386
ROTHMAN, D.H. Scaling in turbidite deposition ..... (1) 59
ROTHMAN, D.H. Scaling in turbidite deposition—Reply ..... (4) 934

SALVANY, J.M. Nonmarine evaporitic sedimentation and associated diagenetic processes of the SW margin of the Ebro Basin (Lower Miocene, Spain) ... (2) 190
SCHIMMELMANN, A. Biogeochemistry and origin of a phosphoritized coprolite from anoxic sediment of the Santa Barbara Basin ..... (4) 771
SCHREIBER, U.M. see ERIKSSON, P.G. ..... (4) 836
SCHROEDER, P.A. A method for the determination of nitrogen in clays, with application to the burial diagenesis of shales ..... (3) 694
SCHUFFERT, J.D. see SCHIMMELMANN, A. ..... (4) 771
SCHULTZ, D.J. see FRIEDMAN, G.M. ..... (2) 418
SCHUPPERS, J.D. Modified-grain-flow deposits from the Upper Cretaceous Vallcarga Formation, south-central Pyrenees, Spain ..... (3) 518
SCHWARTZ, F.W. see FRYAR, A.E. ..... (3) 679
SCOFFIN, T.P. see TUDHOPE, A.W. ..... (4) 752
SGARBI, G.N.C. see DE ROS, L.F. ..... (4) 778
SHELDON, B.T. Low-temperature heating of shale and clay samples may reduce the efficiency of procedures designed to remove iron oxides ..... (3) 698
SIBLEY, D.F. Dolomitization kinetics in hydrothermal bombs and natural settings ..... (3) 630
SIMON, A. see SCHIMMELMANN, A. ..... (4) 771
SIMPSON, E.L. see WALKER, D. ..... (4) 807
SINCLAIR, H.D. The influence of lateral basinal slopes on turbidite sedimentation in the Annot sandstones of SE France ..... (1) 42
SMALLEY, P.C. Water-rock interaction during meteoric flushing of a limestone: implications for porosity development in karstified petroleum reservoirs ... (2) 180
SNYMAN, C.P. see ERIKSSON, P.G. ..... (4) 836
SPÖTL, C. Authigenic chlorites in sandstones as indicators of high-temperature diagenesis, Arkoma foreland basin, U.S.A. ..... (3) 553
SUN, S.Q. A reappraisal of dolomite abundance and occurrence in the Phanerozoic ..... (2) 396
SUTHERLAND, T. see AMOS, C.L. ..... (3) 668
SWART, P.K. see MCCLAIN, M.E. ..... (2) 415
SYKES, R. A simple and effective method for portraying and quantifying the macropetrography of lignites: a new tool for coal seam facies analysis .... (3) 699

TAYLOR, W.L. see O'BRIEN, N.R. ..... (4) 847
THYNE, G.D. Evidence for a paleoaquifer from early diagenetic siderite of the Cardium alloformation, Alberta, Canada ..... (4) 726
TRABERT, D.W. see WALLIN, E.T. ..... (2) 373
TUDHOPE, A.W. Growth and structure of fringing reefs in a muddy environment, south Thailand ..... (4) 752
TWILLEY, R.R. see HARGIS, T.G. .....(3) 681, (3) 684

VACHER, H.L. see MCCLAIN, M.E. ..... (2) 415
VAN DE KAMP, P.C. Holocene and Paleogene arkoses of the Massif Central, France: mineralogy, chemistry, provenance, and hydrothermal alteration of the type arkose ..... (1) 17
VERRECCHIA, E.P. Needle-fiber calcite: a critical review and a proposed classification ..... (3) 650
VERRECCHIA, K.E. see VERRECCHIA, E.P. ..... (3) 650

WALDERHAUG, O. Precipitation rates for quartz cement in sandstones determined by fluid-inclusion microthermometry and temperature-history modeling ..... (2) 324
WALDERHAUG, O. Temperatures of quartz cementation in Jurassic sandstones from the Norwegian continental shelf—evidence from fluid inclusions .... (2) 311
WALKER, D. Paleogeographic influences on sandstone composition along an evolving passive margin: an example from the basal Chilhowee Group (up-

permost Proterozoic to Lower Cambrian) of the south-central Appalachians ..... (4) 807
WALLIN, E.T. Eruption-controlled epiclastic sedimentation in a Devonian trench-slope basin: evidence from sandstone petrofacies, Klamath Mountains, California ..... (2) 373
WARD, J.D. see DICKINSON, W.W. ..... (2) 226
WARREN, W.P. Origins of ice-contact stratified ridges (eskers) of Ireland ..... (3) 433
WIGNALL, P.B. Mudstone lithofacies in the Kimmeridge Clay Formation, Wessex Basin, southern England: implications for the origin and controls of the distribution of mudstones—Discussion ..... (4) 927
WILKINSON, J.J. A new system for high-magnification thermometric studies of fluid inclusions in diagenetic minerals ..... (3) 701
WINTSCH, R.P. Differential mobility of elements in burial diagenesis of siliciclastic rocks ..... (2) 349
WOODS, A.D. see ALGEO, T.J. ..... (3) 665

YAGISHITA, K. Antidunes and traction-carpet deposits in deep-water channel sandstones, Cretaceous, British Columbia, Canada ..... (1) 34

SUBJECT INDEX TO VOLUME A64

abrasion ..... (1) 68, (1) 76
Alabama ..... (3) 524
Alberta ..... (1) 115, (4) 726
alluvial fans ..... (3) 450
anhydrite cement ..... (2) 339
Annot Sandstone ..... (1) 42
Antarctica ..... (3) 541, (4) 894
antidunes ..... (1) 34
Apennines ..... (4) 824
Appalachians ..... (4) 867, (4) 807
aragonite ..... (2) 174, (3) 604
Archaeolithophyllum ..... (4) 925, (4) 923
Areado Formation ..... (4) 778
Argentina ..... (1) 8
Arkoma Basin ..... (3) 553
arkose ..... (1) 17
Australia ..... (2) 160, (3) 500, (3) 572, (4) 881
authigenesis ..... (4) 778
authigenic chlorite ..... (3) 553
authigenic minerals ..... (1) 95
Avon Park Formation ..... (3) 615

back-arc basins ..... (3) 541
Bahamas ..... (1) 140
Bahia ..... (2) 299
Barbados ..... (3) 604, (4) 741
basalt ..... (3) 490
bed forms ..... (2) 247
bed profiler ..... (3) 674
black shale ..... (3) 665
Botswana ..... (1) 147
brachiopods ..... (2) 405, (2) 408
Brazil ..... (2) 299, (4) 778
British Columbia ..... (1) 34
British West Indies ..... (2) 174
burial diagenesis ..... (3) 541, (3) 694, (3) 694

calcite ..... (2) 160, (2) 174, (3) 593, (3) 650
calcite cement ..... (2) 160
California ..... (2) 373, (4) 771
Cambrian ..... (4) 807
Canada ..... (1) 34, (1) 115, (2) 253, (2) 282, (2) 339, (2) 405, (2) 408, (3) 508
Canning Basin ..... (2) 160
capacity ..... (2) 209
carbonate diagenesis ..... (1) 115, (2) 160, (4) 741
carbonate mud ..... (4) 921, (4) 922
carbonate platforms ..... (4) 733, (1) 128
Carboniferous ..... (1) 8, (2) 253, (3) 508
Cardium alloformation ..... (4) 726
cathodoluminescence ..... (3) 567
cement ..... (2) 160, (2) 334, (3) 604
channel sinuosity ..... (1) 86
Chapel Island Formation ..... (3) 704, (3) 706
Chelmsford Formation ..... (2) 339
chenier ..... (4) 886
Chilhowee Group ..... (4) 807
chlorite ..... (3) 553
clast parameters ..... (2) 215
clay minerals ..... (2) 386
clays ..... (3) 694
Colorado ..... (3) 593, (4) 797
combined flow ..... (3) 508
competence ..... (2) 209
concretions ..... (3) 535
continental margins ..... (2) 386
coprolite ..... (4) 771
cores ..... (3) 665, (3) 690
coring device ..... (3) 681
Creede Formation ..... (3) 593
Cretaceous ..... (1) 34, (4) 733, (4) 778, (4) 797, (4) 726
cyclothems ..... (3) 584, (4) 853

deltaic marsh ..... (3) 681
deposition ..... (2) 209, (3) 423
Devonian ..... (1) 115, (2) 160, (2) 373, (2) 405, (2) 408
diagenesis ..... (1) 115, (1) 160, (2) 190, (2) 299, (2) 311, (2) 324, (2) 339, (2) 349, (2) 412, (2) 415, (3) 553, (3) 572, (3) 679, (3) 694, (4) 797, (4) 788
dolomite ..... (2) 396, (3) 615, (3) 638, (4) 741
dolomitization ..... (1) 128, (3) 630
Douglas Group ..... (4) 853
downstream fining ..... (1) 68, (1) 76

Ebro Basin ..... (2) 190
El Imperial Formation ..... (1) 8
element mobility ..... (2) 349, (4) 788
England ..... (4) 930, (4) 927
Eocene ..... (3) 615
eolian sand ..... (2) 226
eolian sandstone ..... (2) 226
eolianites ..... (1) 140
eskers ..... (3) 433

JOURNAL OF SEDIMENTARY RESEARCH, VOL. A64, NO. 4, OCTOBER, 1994, P. 943–945
Copyright © 1994, SEPM (Society for Sedimentary Geology) 1073-130X/94/0A64-943/$03.00

evaporite basins ..... (1) 88
evaporites ..... (2) 190
Experiments ..... (1) 76, (4) 899

fabric ..... (4) 910
fenestrae ..... (1) 140
fission tracks ..... (3) 572
Florida ..... (3) 615, (3) 638
Floridan aquifer system ..... (3) 615
flow-through columns ..... (3) 679
fluid flow ..... (1) 128
fluid inclusions ..... (2) 311, (2) 324, (3) 701
flumes ..... (3) 674
flute-like marks ..... (2) 253
fluvial sediment ..... (3) 490
fore-arc basins ..... (4) 867
foreland basins ..... (1) 8, (3) 553
France ..... (1) 17, (1) 42
fringing reefs ..... (4) 752
Frio Formation ..... (4) 788

Gaspé Formation ..... (2) 405, (2) 408
Gaspé Peninsula ..... (2) 405, (2) 408
Gazelle Formation ..... (2) 373
glaciomarine environment ..... (4) 894
glauconite ..... (4) 765
grain flows ..... (3) 518
grain shape ..... (3) 500, (4) 916
Grand Cayman ..... (2) 174
gravel flotation ..... (4) 894
gravel-bed rivers ..... (1) 76
gravity surges ..... (3) 423
Great Bahama Bank ..... (4) 921, (4) 922
Great Barrier Reef ..... (4) 881
Greece ..... (2) 247
groundwater flow ..... (3) 535
Gulf of Mexico ..... (2) 339
gutter casts ..... (3) 704, (3) 706

Hawthorn Group ..... (3) 638
high-temperature diagenesis ..... (3) 553
Holocene ..... (1) 17, (1) 147, (2) 412, (2) 415, (4) 881
Hurwitz Group ..... (2) 282
hydrochemistry ..... (2) 412, (2) 415
hydrothermal alteration ..... (1) 17

ice-contact drift ..... (3) 433
Iceland ..... (2) 215
Idaho ..... (1) 55
ikaite ..... (3) 593
image analysis ..... (2) 334, (3) 665
India ..... (4) 765
Irecê Basin ..... (2) 299
Ireland ..... (3) 433
iron oxides ..... (3) 698
isometric graphs ..... (4) 916
Israel ..... (4) 733
Italy ..... (3) 535, (4) 824

Japan ..... (1) 68
Jurassic ..... (1) 101, (2) 311, (3) 524

K-feldspar ..... (4) 778
karst ..... (2) 180
Kennedy Group ..... (3) 572
Kentucky ..... (4) 925 (4) 923
Kimmeridge Clay Formation ..... (4) 930, (4) 927
kinetics ..... (3) 630
Korea ..... (4) 886

lacustrine sedimentation ..... (2) 282
lacustrine storm deposits ..... (3) 508
Lawrence Formation ..... (4) 853
lignite ..... (3) 699
limestone ..... (2) 180
liquefaction ..... (2) 253
lithofacies ..... (4) 930, (4) 927
Louisiana ..... (3) 681

marine isotopic signatures ..... (2) 405, (2) 408
Martambio Group ..... (3) 541
Massif Central ..... (1) 17
meteoric diagenesis ..... (2) 412, (2) 415
meteoric flushing ..... (2) 180
microbialite-coral reefs ..... (4) 711
microfabric ..... (4) 847
microslides ..... (3) 686
Middle Atlas Mountains ..... (3) 490
Middle Park Basin ..... (4) 797
Miocene ..... (2) 190, (2) 386, (3) 638, (4) 824
mixing zones ..... (3) 604, (3) 615
modeling ..... (2) 324
monazite ..... (3) 572
Morocco ..... (3) 490
mudstone ..... (4) 930, (4) 847, (4) 927

Namib Desert ..... (2) 226
Namibia ..... (2) 226
needle-fiber calcite ..... (3) 650
Nepal ..... (4) 815
New York ..... (4) 847
Newfoundland ..... (3) 704, (3) 706
Nisku Formation ..... (1) 115
nitrogen ..... (3) 694
nodules ..... (3) 584
Northwest Territories ..... (2) 282
Norway ..... (2) 311
Nova Scotia ..... (3) 508
numerical models ..... (1) 128

Ohio ..... (4) 711
Oligocene ..... (3) 567, (3) 593
Ontario ..... (2) 339
ooids ..... (1) 101
Oquirrh–Wood River Basin ..... (1) 55
Ordovician ..... (4) 867
Oread Formation ..... (4) 853
oxidation-reduction potential ..... (3) 684

Pakistan ..... (4) 815
paleoaquifer ..... (4) 726
Paleocene ..... (4) 797
paleocurrent directions ..... (1) 86
Paleogene ..... (1) 17
paleosols ..... (2) 264, (4) 853
particle shape ..... (3) 710
passive margin ..... (4) 807
pebble volumes ..... (3) 677
peloids ..... (4) 765
Pennsylvanian ..... (3) 584, (4) 853, (4) 925, (4) 923
peritidal lithofacies ..... (4) 733

Permian ..... (1) 8, (3) 572
petrofacies ..... (2) 373
petrology ..... (4) 815, (4) 824
Phanerozoic ..... (2) 396
phosphate nodules ..... (3) 584
phosphates ..... (3) 572
phosphorite ..... (2) 299
phosphoritization ..... (4) 771
phylloid alga ..... (4) 925, (4) 923
Pillara Formation ..... (2) 160
Pleistocene ..... (2) 174
pore-fluid evolution ..... (3) 541
pore-throat morphology ..... (3) 524
porosity ..... (2) 180, (2) 226
Port Hood Formation ..... (2) 253
pot casts ..... (3) 704, (3) 706
Proterozoic ..... (2) 264, (2) 282, (2) 299, (2) 339, (4) 765, (4) 807
provenance ..... (1) 2, (1) 17, (2) 339, (4) 815, (4) 824 (4) 836
Providence Limestone ..... (4) 925, (4) 923
pseudomatrix ..... (1) 55
pseudomorphs ..... (3) 593
Pyrenees ..... (3) 518
pyroclastic flows ..... (4) 867

quartz ..... (2) 334, (3) 500, (3) 567
quartz arenites ..... (2) 282
quartz cement ..... (2) 334
quartz cementation ..... (2) 311, (2) 324
quartz silt ..... (3) 710
Québec ..... (2) 405, (2) 408

rare earth elements ..... (3) 584
recurved groove marks ..... (3) 508
reservoirs ..... (2) 180
ripple marks ..... (2) 282
rivers ..... (3) 450
Rooiberg Felsite Group ..... (4) 836

Saint-Victor Formation ..... (4) 867
San Rafael Basin ..... (1) 8
sand flotation ..... (4) 894
sand ridge ..... (4) 886
sandstone ..... (1) 2, (1) 34, (2) 373, (4) 815, (4) 824, (4) 836, (4) 807
sandur ..... (2) 215
Santa Barbara Basin ..... (4) 711
São Francisco Basin ..... (4) 778
satin spar veins ..... (1) 88
scaling ..... (1) 59, (4) 933, (4) 934
Scotland ..... (2) 264
sea level ..... (4) 881
seawater composition ..... (1) 101
sediment intrusion ..... (2) 253
sediment mixing ..... (2) 373
settling tubes ..... (3) 687
shale ..... (3) 665, (3) 694, (3) 698
shape sorting ..... (3) 710
Shawnee Group ..... (4) 853
siliciclastic diagenesis ..... (2) 211, (2) 324, (2) 349, (3) 572
silt ..... (3) 567
Silurian ..... (4) 711, (4) 847
Siwalik Group ..... (4) 815
Smackover Formation ..... (1) 101, (2) 339, (3) 524
soil bulk density ..... (3) 681
sole structures ..... (3) 508
solid bitumens ..... (1) 95
Sorbas Basin ..... (2) 233
sorting ..... (3) 710
South Africa ..... (4) 836
Spain ..... (2) 190, (2) 233, (3) 518
speleothem ..... (1) 147
sponge borings ..... (2) 174
stratification ..... (2) 204
stromatolites ..... (2) 299
Strombus gigas ..... (2) 174
submarine channels ..... (2) 247
Sudbury Basin ..... (2) 339
sulfur ..... (3) 670

taphonomy ..... (4) 847
temperature history ..... (2) 324
Texas ..... (3) 567, (4) 788
Thailand ..... (4) 752
thorite ..... (3) 572
thrust-top basins ..... (4) 824
traction carpet ..... (2) 204
traction-carpet deposits ..... (1) 34
Transvaal Sequence ..... (4) 836
trench-slope environments ..... (2) 373
tropical weathering ..... (3) 500
turbidites ..... (1) 42, (1) 55, (1) 59, (2) 204, (2) 233, (2) 247, (4) 899 (4) 933, (4) 934
turbidity currents ..... (2) 209, (2) 233, (3) 423, (4) 899

Vallcarga Formation ..... (3) 518
vaterite ..... (2) 417, (2) 418
Vega Island ..... (3) 541

Watarase River ..... (1) 68
water-rock interaction ..... (2) 180
weathering ..... (3) 490
Wessex Basin ..... (4) 930, (4) 927
West Indies ..... (3) 604
Western Australia ..... (3) 572
wind transport ..... (3) 710

X-radiography ..... (3) 665
X-ray computed tomography ..... (3) 690
X-ray fluorescence ..... (3) 670

BOOK REVIEW INDEX TO VOLUME A64

Advances in Reservoir Geology
edited by M. Ahston ..... (2) 419
Applications of Paleomagnetism to Sedimentary Geology
edited by D.M. Aissaoui, D.F. McNeill, and N.F. Hurley ..... (4) 935
Facies Models Response to Sea Level Change
edited by Roger G. Walker and Noel P. James ..... (1) 156
Glacigenic Sediments
by K. Brodzikowski and A.J. van Loon ..... (2) 419

JOURNAL OF SEDIMENTARY RESEARCH, VOL. A64, NO. 4, OCTOBER, 1994, P. 945–946
Copyright © 1994, SEPM (Society for Sedimentary Geology) 1073-130X/94/0A64-945/$03.00